

**AMENDMENTS TO THE CLAIMS:**

**Please cancel claims 3 and 4, without prejudice and disclaimer, and amend the claims as follows:**

1. (Currently Amended) A bearing part comprising damping steel that ~~contains~~  
comprises:

from 0.2% to 0.6 % by weight of C[[,]] ;

from 5.0% to ~~15.0 %~~ 10.0% by weight of Cr[[,]] ;

from 0.2% to 1.3 % by weight of Si[[,]] ;

from 0.05% to 0.20 % by weight of N[[,]] ; and

~~comprises Fe and inevitable impurities as the remaining,~~

wherein the damping steel is heated for austenization, cooled in oil, treated for subzero cooling, and tempered.

2. (Currently Amended) The bearing part according to claim 1, wherein the damping steel is hardened in an ordinary manner to ~~have~~ comprise a surface hardness, in terms of Rockwell C ~~hardness~~ hardness, of at least 57.

3-4. (Canceled)

5. (Currently Amended) The bearing part according to claim 1, wherein the bearing part ~~N-content falls~~ comprises between ~~0-09~~ 0.09 by weight and 0.15 % by weight of N.